



# VIKING EASY CUBE 3X4

# PRODUCT DESCRIPTION

For the new Viking Easy Cube 3 x 4 m have been given special attention to high – speed and easy installation. This compact and bright product is designed as a multifunctional space where you can prepare food, spend your leisure. On a warm day, open large doors and enjoy unlimited beautiful weather, on a windy day you can admire the landscape from inside. The style and dimensions of this product fit perfectly into a new residential area, a rural landscape or even a cottage environment.

## SPECIFICATIONS:

**Roof.** The roof panels frame 45 x 120 mm is covered with 18 x 145 mm finishing boards. This type of construction withstands  $295 \text{ kg/m}^2 = 2,95 \text{ kN/m}^2$ . Easy Cube building roof is 2.9 m high and 10% slope. We use MIDA SELF KSK for roof covering, its self-adhesive elastomeric bitumen membrane covering the entire surface. Installation of the rolled roofing is quick, simple and safe way to cover all Cube. All you must do is to unroll, attach with nails, remove protective film and press.

**The cube's solid wooden frame:** front and back 45 x 95 mm; sides - 45 x 45 mm with 18 x 145 mm finishing boards make the product a sheltered lounge area. The product has aluminum glass wall on each side and plus one in the side of sliding door. And three sliding doors (3 – rails) that can easily be opened in two directions!

**Walls.** The walls are made of spruce wood from FSC-certified spruce forests. Front and back wall frame 45 x 95 mm with outside 18 x 145 mm vertical finishing boards. Side wall frame 45 x 45 mm with outside 18 x 145 mm vertical finishing boards. The bottom parts of wall frames are impregnated.

**Aluminum 3 rails sliding doors system Alutech.** Sliding parts are framed with aluminum frames, manufactured from "cold" single-chamber of aluminum profile with non-insulating gaskets. Sliding of the aluminum frame is made so that the entire structure is stable. Frames wheels designed for attachment to the motion and has aluminum profiles for vertical and horizontal adjustment, provides a particularly easy movement of moving parts. Sealing brush prevents dust from entering the structure and compensates for vibration in the wind. All moving parts are very easy to remove and put it back, so there is no problem with cleaning glass from the outside. In the closed position system has automatically locked and unlocked positions. Handles and locks built into the aluminum profile, so during the opening, the glass always remains clean. This is single-chamber aluminum system. The thickness of tempered glass 4 mm.

**Aluminium glass wall "Alutech".** Panel size is 1000 x 2200 mm; Frame wide: 40 mm; Glazing: single glass; Glass thickness: 4 mm. Color: metallic/white.



## SPECIFICATION

<b>People</b>	8 persons
<b>Timber</b>	Spruce
<b>Shape</b>	Rectangle
<b>Room</b>	1
<b>Inside area</b>	12.0 m <sup>2</sup>
<b>Total height</b>	2853 mm
<b>Exterior Cladding</b>	18 mm
<b>External dimension</b>	3140 x 4030 mm
<b>Door size</b>	3000 x 2200 mm
<b>Window size</b>	1000 x 2200 mm

## STANDARD SET

Roof panels from spruce;

Self-adhesive bitumen membrane for roof covering;

Roof, door and windows tin finishing;

Wall panels from spruce with impregnated bottom parts;

3 pcs of aluminum glass wall Alutech (1000 x 2200 mm);

1 pc of aluminum sliding doors system Alutech 3000 x 2200 mm (3 rails).

## DELIVERY

Viking Easy cube 3 x 4 m is delivered to the customer **not assembled**, but with detailed assembly instructions and drawings, and packed on a pallet (KIT).

# OPTIONS

## FLOOR FOR VIKING EASY CUBES

- Terrace floor made from corrugated spruce wood with frame;
- Tongue and groove floors.



## ACCESSORIES



Rainwater Pipes\*

# FOUNDATION

**Foundation.** It is very important to have a proper foundation for your cube 3 x 4 m. Therefore we recommend making the foundation according to the sketches here. First of all, foundation must be prepared according to the landscape and ground conditions. Consult a qualified builder or an engineer to prepare a proper foundation, which fits your location. Make sure to complete the site preparation and the foundation before unpacking and assembling the cube.

# USAGE AND MAINTENANCE

## Things to note when using the product:

- Products which are used for staying overnight should be equipped with a smoke alarm and a extinguisher;
- Product owner is responsible for the security and should work out a rescue plan for the camping site;
- Remember that using heating appliances or temporary camping stoves this isn't just a fire risk, but a risk of carbon monoxide poisoning as well.

**MAINTENANCE.** You should not forget that wood is a natural material, it changes move depending on weather conditions. Large and small cracks, color tone differences and changes, as well as a changing structure of wood are not errors, but a result of wood growing and a feature of wood as a natural material. Natural wood (not impregnated) becomes grayish after having been left untouched for a while and can be turn blue and become moldy. You should immediately process them with wood impregnations to protect the wooden details of our produced products.

- Like any our product, our produced furniture's needs to be looked after and processed with a wood impregnation agent or painted if you want it to last for years. Regular cleaning of your furniture is necessary to prevent mold. General warm soapy water is enough if done regularly;
- If necessary, outside doors must be adjusted by the customer;
- If you do not use your Camping Product often we highly recommend to use the installation of our vent to stop condensation;
- If you find a sap pocket open during the life of your Product - you can allow it to dry naturally and then cut the sap off with a blade.





Misko 25, LT-85302 Venta, Lithuania  
info@vikingindustrier.com